

- [69] F. Uslua, S. Ingebrandta, D. Mayera, S. Böcker-Mefferta, M. Odenthalb and A. Offenhäussera, "Label-free fully electronic nucleic acid detection system based on a field-effect transistor device," *Biosensors and Bioelectronics*, vol. 19, pp. 1723-1731, 2004.
- [70] F. Xu, G. Yan, Z. Wang and P. Jiang, "Continuous accurate pH measurements of human GI tract using a digital pH ISFET sensor inside a wireless capsule," *Measurement*, vol. 64, pp. 49-56, 2015.
- [71] C. Yoon, J. Kang, D. Yeom, D. Jeong and S. Kim, "Comparison of electrical characteristics of back- and top-gate Si nanowire field-effect transistors," *Solid State Communications*, vol. 148, pp. 293-296., 2008.
- [72] M. Barbaro, A. Bonfiglio, L. Raffo, A. Alessandrini, P. Facci and I. Barák, "Fully electronic DNA hybridization detection by a standard CMOS biochip," *Sensors and Actuators B*, vol. 118, pp. 41-46, 2006.
- [73] P. Stoliar, E. Bystrenova, S. Quiroga, P. Annibale, M. Facchini, M. Spijkman, S. Setayesh, D. de Leeuw and F. Biscarini, "DNA adsorption measured with ultra-thin film organic field effect transistors," *Biosensors and Bioelectronics*, vol. 24, pp. 2935-2938, 2009.
- [74] M. Panzer and C. Frisbie, "Exploiting Ionic Coupling in Electronic Devices: Electrolyte-Gated Organic Field-Effect Transistors," *Advanced Materials*, vol. 20, pp. 3177-3180, 2008.
- [75] M. Panzer and C. Frisbie, "Polymer electrolyte-gated organic field-effect transistors: Low-voltage, high-current switches for organic electronics and testbeds for probing electrical transport at high charge carrier density," *Journal of the American Chemical Society*, vol. 129, pp. 6599-6607, 2007.
- [76] L. Herlogsson, Y. Noh, N. Zhao, X. Crispin, H. Siringhaus and M. Berggren, "Downscaling of Organic Field-Effect Transistors with a Polyelectrolyte Gate Insulator," *Advanced Materials*, vol. 20, pp. 4708-, 2008.
- [77] J. Lee, L. Kaake, J. Cho, X. Zhu, T. Lodge and C. Frisbie, "Ion Gel-Gated Polymer Thin-Film Transistors: Operating Mechanism and Characterization of Gate Dielectric Capacitance, Switching Speed, and Stability," *The Journal of Physical Chemistry C*, vol. 113, pp. 8972-8981, 2009.
- [78] L. Kergoat, L. Herlogsson, D. Braga, B. Piro, M. Pham, X. Crispin and M. Berggren, "A Water-Gate Organic Field-Effect Transistor," *Advanced Materials*, vol. 22, pp. 2565-2569, 2010.

- [79] L. Kergoat, B. Piro, M. Berggren, M. Pham, A. Yassar and G. Horowitz, "DNA detection with a water-gated organic field-effect transistor," *Organic Electronics*, vol. 13, pp. 1-6, 2012.
- [80] A. Al Naim, "Electrolyte-Gated thin film transistors with solution-processed semiconductors," University of Sheffield, Sheffield, Inglaterra, 2014.
- [81] I. K., *Electrochemistry in nonaqueous solutions*, Darmstadt: John Wiley & Sons, 2009.
- [82] R. Hagiwara, K. Matsumoto, Y. Nakamori, T. Tsuda, Y. Ito, H. Matsumoto and K. Momota, "Physicochemical properties of 1, 3-dialkylimidazolium fluorohydrogenate room-temperature molten salts," *Journal of the electrochemical society*, vol. 150, pp. D195-D199, 2003.
- [83] S. Nakamura, K. Ueno, H. Shimotani, A. Ohtomo, N. Kimura, T. Nojima, H. Aoki, Y. Iwasa and M. Kawasaki, "Electric-field-induced superconductivity in an insulator," *Nature Materials*, vol. 7, pp. 855 - 858, 2008.
- [84] P. Hsu, "Choosing a Gate Dielectric for Graphene Based Transistor," Massachusetts Institute of Technology, Cambridge, 2008.
- [85] K. Matsumoto, K. Maehashi, Y. Ohno and K. Inoue, "Recent advances in functional graphene biosensors," *Journal of Physics D: Applied Physics*, vol. 47, p. 094005, 2014.
- [86] F. Schwierz, "Graphene Transistors," *Nature Nanotechnology*, vol. 5, pp. 487-496, 2010.
- [87] Y. Lin, K. A. Jenkin and A. Valdes, "Operation of graphene transistors at gigahertz frequencies," *Nano Letters*, vol. 9, p. 422-426, 2009.
- [88] Y. Lin, C. Dimitrakopoulos, K. Jenkins, D. Farmer, H. Chiu, A. Grill and P. Avouris, "100-GHz transistors from wafer-scale epitaxial graphene," *Science*, vol. 327, p. 662, 2010.
- [89] J. S. Moon, D. Curtis, M. Hu, D. Wong, C. McGuire, P. Campbell, G. Jernigan, J. Tedesco, B. VanMil, R. Myers-Ward, C. Eddy and D. Gaskill, "Epitaxial-graphene RF field-effect transistors on Si-face 6H-SiC substrates," *IEEE Xplore: Electron Device Letters*, vol. 30, pp. 650-652, 2009.
- [90] I. Meric, M. Han, A. Young, B. Ozyilmaz, P. Kim and K. Shepard, "Current saturation in zero-bandgap, top-gated graphene field-effect transistors," *Nature Nanotechnology*, vol. 3, pp. 654-659, 2008.

- [91] K. Tahy, S. Koswatta, T. Fang, Q. Zhang, H. Xing and D. Jena, "High field transport properties of 2D and nanoribbon graphene FETs," in *Device Research Conference, IEEE*, Singapore, 2009.
- [92] A. Nourbakhsh, M. Cantoro, A. Klekachev, F. Clemente, B. Soreé, M. van der Veen, T. Vosch, A. Stesmans, B. Sels and S. De Gendt, "Tuning the Fermi Level of SiO₂-Supported Single-Layer Graphene by Thermal Annealing," *The Journal of Physical Chemistry C*, vol. 114, p. 6894, 2010.
- [93] A. Pirkle, J. Chan, A. Venugopal, D. Hinojos and C. W. Magnuson, "The effect of chemical residues on the physical and electrical properties of chemical vapor deposited graphene transferred to SiO₂," *Applied Physics Letters*, vol. 99, p. 122108, 2011.
- [94] K. Kim, A. Reina, Y. Shi, H. Park, L. Li, Y. Lee and J. Kong, "Enhancing the conductivity of transparent graphene films via doping," *Nanotechnology*, vol. 21, p. 285205, 2010.
- [95] C. Jang, J. Kim, J. Kim, D. Shin, S. Kim and S. Choi, "Rapid-thermal-annealing surface treatment for restoring the intrinsic properties of graphene field-effect transistors," *Nanotechnology*, vol. 24, p. 405301 (6pp), 2013.
- [96] X. Wang, Y. Ouyang, X. Li, H. Wang, J. Guo and H. Dai, "Room-temperature all-semiconducting sub-10-nm graphene nanoribbon field-effect transistors," *Phys. Rev. Lett.*, vol. 100, p. 206803, 2008.
- [97] K. Nagashio, T. Nishimura, K. Kita and K. Toriumi, "Contact resistivity and current flow path at metal/graphene contact," *Applied Physics Letters*, vol. 97, p. 143514, 2010.
- [98] D. Schroder, *Semiconductor Material and Device Characterization*, New Jersey: John Wiley & Sons, 2006.
- [99] W. Liu, M. Li, S. Xu, Q. Zhang, Y. Zhu, K. Pey, H. Hu, Z. Shen, X. Zou, J. Wang, J. Wei, H. Zhu and H. Yu, "Understanding the Contact Characteristics in Single or Multi-Layer Graphene Devices: the Impact of Defects (Carbon Vacancies) and the Asymmetric Transportation Behaviour," in *International Electron Devices Meeting*, San Francisco, 2010.
- [100] M. Masson, E. Molnár, H. Donoghue, G. Besra, D. Minnikin, H. Wu, O.-C. Lee, I. D. Bull and G. Pálfi, "Osteological and Biomolecular Evidence of a 7000-Year-Old Case of Hypertrophic Pulmonary Osteopathy Secondary to Tuberculosis from Neolithic Hungary," *PLoS ONE*, vol. 8, p. e78252, 2013.

- [101] B. Ligon, "Robert Koch: Nobel laureate and controversial figure in tuberculin research," *Seminars in Pediatric Infectious Diseases*, vol. 13, pp. 289-299, 2002.
- [102] N. Gandhi, P. Nunn, K. Dheda, H. Schaaf, M. Zignol, D. van Soolingen, P. Jensen and J. Bayona, "Multidrug-resistant and extensively drug-resistant tuberculosis: a threat to global control of tuberculosis," *Lancet*, vol. 375, pp. 1830-1843, 2010.
- [103] S. Wang, F. Inci, G. De Libero, A. Singhal y U. Demirci, «Point-of-care assays for tuberculosis: Role of nanotechnology/microfluidics,» *Biotechnology Advances*, vol. 31, p. 438–449, 2013.
- [104] Y. Huang, X. Dong, Y. Shi, C. Li, L.-J. Li and P. Chen, "Nanoelectronic Biosensors Based on CVD Grown Graphene," *Nanoscale*, vol. 2, p. 1485–1488, 2010.
- [105] P. Chiquet, P. Masson, J. Postel-Pellerin, R. Laffont, G. Micolau, F. Lalande and A. Regnier, "Experimental setup for non-destructive measurement of tunneling currents in semiconductor devices," *Measurement*, vol. 54, p. 234–240, 2014.
- [106] F. Yildirim, R. Schlieve, W. Bauhofer, R. Meixner, H. Goebel and W. Krautschneider, "Gate insulators and interface effects in organic thin-film transistors," *Organic Electronics*, vol. 9, pp. 70-76., 2008.
- [107] Y. Hwa, D. Soo, Y. Na, H. Kim, D. Ho, S. Ahn, J. Yang, W. Seok and S. Seo, "Flexible glucose sensor using CVD-grown graphene-based field effect transistor," *Biosensors & Bioelectronics*, vol. 37, p. 82–87, 2012.
- [108] S. Vasiri, "Fabrication and characterization of grapheme field effect transistor," Royal Institute of Technology, Stockholm, Sweden, 2011.
- [109] F. Liu, Y. Han, D. Sung and T. Seok, "Micropatterned reduced graphene oxide based field-effect transistor for real-time virus detection," *Sensors and Actuators B*, vol. 186, p. 252– 257, 2013.
- [110] K. Baba, R. Hatada, S. Flege and W. Ensinger, "Mechanical and electrical properties of diamond-like carbon films deposited by plasma source ion implantation," *Nuclear Instruments and Methods in Physics Research B*, vol. 267, pp. 1688-1691, 2009.
- [111] B. Kim, J. Lee, S. Namgung, J. Kim, J. Y. Park, M. Lee and S. Hong, "DNA sensors based on CNT-FET with floating electrodes," *Sensors and Actuators B*, vol. 169, pp. 182-187, 2012.

- [112] P. D'Angelo, M. Barra, A. Cassinese, M. Maglione, P. Vacca, C. Minarini and A. Rubino, "Electrical transport properties characterization of PVK (poly N-vinyl carbazole) for electroluminescent devices applications," *Solid-State Electronics*, vol. 51, p. 12, 2007.
- [113] S. Park, J. Suk, J. An, J. Oh, S. Lee, W. Lee, J. Potts, J. Byun and R. Ruoff, "The effect of concentration of graphene nanoplatelets on mechanical and electrical properties of reduced graphene oxide papers," *Carbon*, vol. 50, pp. 4573-4578., 2012.
- [114] W. Dong, Y. Shi, W. Huang, P. Chen and L. Li, "Electrical detection of DNA hybridization with single-base specificity using transistors based on CVD-grown graphene sheets," *Advanced Materials*, vol. 22, pp. 1649-1653, 2010.
- [115] I. Keithley Instruments, "Model 2450 Interactive SourceMeter® Instrument User's Manual," Cleveland, 2013.
- [116] L. Liu, S. Ryu, M. Tomasik, E. Stolyarova, N. Jung, M. Hybertsen, M. Steigerwald, L. Brus and G. Flynn, "Graphene oxidation: thickness-dependent etching and strong chemical doping," *Nano Letters*, vol. 8, pp. 1965-1970, 2008.
- [117] I. Kholmanov, C. Magnuson, A. Aliev, H. Li, B. Zhang, J. Suk, L. Zhang, E. Peng, S. Mousavi, A. Khanikaev, R. Piner, G. Shvets and R. Ruoff, "Improved Electrical Conductivity of Graphene Films Integrated with Metal Nanowires," *Nano Letters*, vol. 12, pp. 5679-5683, 2012.
- [118] W. Yang, K. Ratinac, S. Ringer, P. Thordarson, J. Gooding and F. Braet, "Carbon Nanomaterials in Biosensors: Should You Use Nanotubes or Graphene?," *Angewandte Chemie*, vol. 49, pp. 2114-2138, 2010.
- [119] Y. Wang, Z. Li, J. Wang, J. Li and Y. Lin, "Graphene and graphene oxide: biofunctionalization and applications in biotechnology," *Trends in Biotechnology*, vol. 29, pp. 205-212, 2011.
- [120] M. Dresselhaus, G. Dresselhaus and P. Eklund, *Science of Fullerenes and Carbon Nanotubes*, San Diego, California, USA: Academic Press, 1996.